



HMI POSYC 42XX

Industrial Panel PC

Description

POSYC 42XX is an industrial panel PC based on Intel x86 dual core architecture and equipped with a 15" 24bits colour display and high reliable touch screen. Advanced ergonomics design, iconstyle, user-friendly technology; it is designed to facilitate human machine interface (HMI) in industrial environments. Its powerful processor and lots of features available, make it ideal for many applications. VESA compliant arm or panel mount options. Rugged buttons control panel option.



Smitec S.p.A.


Via V. Veneto, 4 - 24016 San Pellegrino Terme (BG) ITALY
Tel. +39 0345 40.111 - Fax: +39 0345 40.809 - www.smitec.it

Head office:

Via C. Ceresa, 10 - 24015 San Giovanni Bianco (BG) ITALY
C.F. e P. IVA IT03790400166

Technical data	
Architecture	x86
Available OS	MS Windows / Linux Suse
Housing material	Aluminum
Degree of protection	IP65
Processor	Intel® Atom™ Dual Core D2550 (1.86GHz)
Memory	2GB DDR3 1066MHz RAM
Display	15" colour LED TFT, 1024x768, 16.2M colors
Touch screen	5 wires - HD – high resistance 35 million touches at one point
Connections	2 x external USB (front side) 4 x USB 2 x Gigabit LAN 1 x VGA 1 x COM RS485 2 x COM RS232 1 x HDMI, audio connector, 2 x CF socket 1 x WEBcam 2Mpx (only for Posyc 4201/4203 models) 1 x Wi-Fi 802.11b/g/n (only for Posyc 4202/4203 models)
Electrical specifications	Power supply: 24V _{DC}
Environmental specifications	Operating temperature: from +0°C to +50°C Storage temperature: from -20°C to +60°C Relative humidity: from 0% to 90% (non- condensing

Dimensions



Data here mentioned are subject to changes without any notice.